

MAC
tracks

MAC SHADE SOLUTIONS

OPERATION & BENDING GUIDE

Discover the MAC difference





MAC TRACKS

GENERAL TRACK INFORMATION

MAC curtain tracks have been priced at a per meter price for convenience of quoting efficiently. Each track will include, extrusion, runner/ glide type, end caps, flick stick carrier and where specified the curtain tape, curtain hooks or pendants will be supplied directly to the specified curtain workroom.

OPERATION

All tracks are priced as manual operation only, and the operational requirement will be at an additional cost; refer to the Operation Guide (page 2) for operation options.

FLICK STICKS

Control quantity will be based on the opening or the quantity of curtains operating on one length of track; refer to flick stick grid for quantity suited to curtain opening (page 2).

FORM & FUNCTION

OPERATION GUIDE

All tracks in the Made to Measure pricing are manual hand traverse only, with brackets and end caps included. For the operational requirement, the additional cost will need to be considered when quoting and ordering.

When determining the opening of your curtains per curtain track, ensure the quantity requirement is allowed for. Please refer to the Flick Stick Guide below.

FLICK STICK RANGE	
COLOUR	SIZE
CLEAR	MAC FLICK STICK 1M
CLEAR	MAC FLICK STICK 1.25M
CLEAR	MAC FLICK STICK 1.5M
CLEAR	MAC FLICK STICK 1.8M
BLACK, WHITE, MATTE, SATIN	MAC FLICK STICK 1M
BLACK, WHITE, MATTE, SATIN	MAC FLICK STICK 1.25M
BLACK, WHITE, MATTE, SATIN	MAC FLICK STICK 1.5M
WHITE	MAC FLICK STICK FIBREGLOSS 2M

FLICK STICK GUIDE		
OPENING	CURTAIN PIECE QTY	FLICK STICK QTY
ONE WAY STACK	1	1
CENTRE OPEN	2	2
OFFSET CENTRE OPEN	2	2
OFFSET FREE FLOW	2	4
ONE WAY FREE FLOW	1	2
TWO PIECE FREE FLOW	2	4

(For all other curtain quantity splits, please advise opening on order form for correct flick stick requirement)



THE DETAILS

CORD ACCESSORIES

Tracks that are requested for cord drawn operation, will be charged \$30 +GST per track whether it be one way draw or centre opening. MAC will provide a standard cord length of 1.8M unless (specified otherwise); and a clear cord anchor cleat for child safety requirements.

For cord accessories available, please refer to the below.

ACCESSORIES	
COLOUR	DESCRIPTION
CLEAR	MAC PULLEY
ZINC	MAC PULLEY
ZINC	MAC INSERT WHEEL PULLEY
WHITE	MAC CORD STANDARD
BLACK	MAC CORD STANDARD
WHITE	MAC CORD BLOCK NYLON
BLACK	MAC CORD BLOCK NYLON
WHITE	MAC WARNING TAG
CLEAR	MAC CORD ANCHOR CLEAT 80MM
CLEAR	MAC CORD ANCHOR P CLIP
WHITE	MAC CORD TENSIONING PULLEY





ADDITIONS & **SPECIAL REQUIREMENTS**

Orders will be manufactured to suit the length and width of the opening as a finished size. All measurements are required to be submitted in millimetres.

ANGLE BEND TRACKS

Orders submitted are required to state the back wall measurements or finished (make) size only; deductions and allowances will be made accordingly. If the curtain will be sitting in front of another window furnishing, please advise the projection of the back wall measurement required. To ensure you are supplying correct measurement details for your order request, please see the Measuring & Template Guide.

CONTINUOUS BEND TRACK

Orders submitted are required to state the back wall measurements or finished (make) size only, submitted with a 'to scale' template to replicate. To ensure you are supplying the correct measurement details for your order request, please see the Measuring & Template Guide.

JOINS

Tracks can be supplied in a length no greater than 5.8M; depending on your area of location and accessibility, you may request the track to be split. All splits of track lengths will be supplied in equal halves if measurements of split requirements are not specified on the order form.


FIT YOUR SPACE

BENDING GUIDE

MAC offers two bending options:

- 1) Angle Bends
- 2) Continuous Bends

The below MAC Tracks are available in the bending options:



BENDING OPTIONS			
TRACK TYPE	ANGLE BEND (90 & 135)		CONTINUOUS
MAC STANDARD TRACK	✓		✓
MAC D10	X		X
MAC D15	X		X
MAC D25	✓		X
MAC D38	X		X
MAC STREAMLINE TRACK	✓		✓

Price is based on per bend \$30 +GST for Angle Bends; and a per meter rate of \$45 +GST for Continuous Bends. When submitting an order for a track bend, please ensure you are supplying a detailed diagram drawing of an Angle bend; that reflects all measurements required.

For a continuous bend, a 'to scale' template of the track shaped and length is delivered to MAC to replicate what is required for site. The MAC Team will review the template received prior to commencing an order to ensure it is acceptable to replicate.






MEASURING & TEMPLATE GUIDE

CORNER WINDOWS


Measurements should always be taken from the Back Wall, left to right in any area for track calculations. Numbered areas are where measurements are required in each example diagram.




MEASURE & TEMPLATE GUIDE

BAY WINDOWS

Measurements should always be taken from the Back Wall, left to right in any area for track calculations. Numbered areas are where measurements are required which include the Internal Room measurement displayed in the example diagrams.



CONTACT US NOW TO FIND YOUR CLOSEST
MAC SPECIALIST



S H A D E S O L U T I O N S

P: 1300 115 744

A: 44 RICKY WAY, EPPING, VIC 3076

E: INFO@MACSS.COM.AU



macshadesolutions.com.au